Vol. 73, Nos. 1/2

BEHAVIOURAL BRAIN RESEARCH

28 DECEMBER 1995

CONTENTS

(Cited in Current Contents/Life Sciences; Animal Behaviour Abstracts; Biological Abstracts (BIOSIS); Chemical Abstracts; Index Medicus; Excerpta Medica (EMBASE); Psychological Abstracts (PsycINFO); Current Awareness in Biological Sciences (CABS); Reference Update)

Editorial commentary v

5-HT Receptors and Dopaminergic Activity in the Mesolimbic System

Ventral tegmental area 5-HT receptors: mesolimbic dopamine release and behavioural studies
E.J. Mylecharane 1

Modulation of the A10 dopamine system: electrophysiological studies of the role of 5-HT_3-like receptors
R.Y. Wang, C.R. Ashby Jr, and J.Y. Zhang 7

5-HT_3 and 5-HT_4 receptors in terminal regions of the mesolimbic system
G.J. Kilpatrick, R.M. Hagan and J.D. Gale 11

The antipsychotic potential of subtype-selective 5-HT receptor ligands based on interactions with mesolimbic dopamine systems
M.D. Tricklebank 15

Serotonin and The Development of Serotonergic Systems

Serotonin as a developmental signal
P.M. Whitaker-Azmitia, M. Druse, P. Walker and J.M. Lauder 19

Animal Models of Integrated Serotonergic Function

Serotonergic functions in arousal and motor activity
M.A. Geyer 31

Serotonergic control of the organization of feeding and satiety
K.J. Simansky 37

Detection of serotonergic and noradrenergic antidepressants in the rat forced swimming test: the effects of water depth
M.J. Detke and I. Lucki 43

Serotonergic regulation of associative learning
J.A. Harvey 47

Presynaptic Regulation of 5-HT Neurotransmission

A molecular analysis of vesicular amine transport
Y. Liu, D. Peter, A. Merickel, D. Krantz, J.P. Finn and R.H. Edwards 51

Determination of transcription initiation sites and promoter activity of the human 5-HT_{2A} receptor gene
J.C. Shih, Q. Zhu and K. Chen 59

Serotonin and Pain Revisited: Should the Conventional Wisdom of a General Analgesic Role of Serotonin be Questioned?

Interactions of descending serotonergic systems with other neurotransmitters in the modulation of nociception
J. Sawynok and A. Reid 63

Pro- and antinociceptive actions of serotonin $(5\text{-HT})_{1A}$ agonists and antagonists in rodents: relationship to algesiometric paradigm
M.J. Millan, L. Seguin, P. Honoré, S. Girardon and K. Bervoets 69

contents continued on p. 392

0166-4328(19951228)73:1-2;1-X

Regulation of Monoamine and Peptide Release in the Brain and Periphery

Species differences in 5-HT autoreceptors
G.W. Price, C. Roberts, J. Watson, M. Burton, K. Mulholland, D.N. Middlemiss and B.J. Jones 79
Regulation of 5-HT release from enterochromaffin cells
K. Racké, A. Reimann, H. Schwörer and H. Kilbinger 83
Presynaptic 5-HT auto- and heteroreceptors in the human central and peripheral nervous system
M. Göthert, K. Fink, D. Frölich, J. Likungu, G. Molderings, E. Schlicker and J. Zentner 89

The Role of Serotonin in the Actions of Psychostimulants: Molecular and Pharmacological Analyses

The role of serotonin in the actions of psychostimulants: molecular and pharmacological analyses
K.A. Cunningham, C.W. Bradberry, A.S. Chang and M.E.A. Reith 93

Clinical and Preclinical Studies of Hallucinogens

Psychobiologic effects of 3,4-methylenedioxymethamphetamine in humans: methodological considerations and preliminary observations
C.S. Grob, R.E. Poland, L. Chang and T. Ernst 103
Plant hallucinogens: springboards for psychotherapeutic drug discovery
D.J. McKenna 109
Stereoselective pharmacological effects of lysergic acid amides possessing chirality in the amide substituent
D.E. Nichols, A. Monte, X. Huang and D. Marona-Lewicka 117
Human psychopharmacology of N,N-dimethyltryptamine
R.J. Strassman 121

Regulation of Circadian Rhythm by Melatonin

Neural control of the pineal gland
R.Y. Moore 125
Phase-shifting the human circadian clock using melatonin
A.J. Lewy, S. Ahmed and R.L. Sack 131
Circadian actions of melatonin at the suprachiasmatic nucleus
M.U. Gillette and A.J. McArthur 135
Melatonin receptors in the mammalian suprachiasmatic nucleus
M.L. Dubocovich, S. Benloucif and M.I. Masana 141

Selection Tools in 5-HT Research

Novel discriminatory ligands for 5-HT_{2B} receptors
G.S. Baxter 149
Development of 5-HT_{1A} receptor antagonists
C. Routledge 153
GR127935: a potent and selective 5-HT_{1D} receptor antagonist
M. Skingle, D.T. Beattie, D.I.C. Scopes, S.J. Starkey, H.E. Connor, W. Feniuk and M.B.Tyers 157

Serotonergic Involvement and Antipsychotic Drug Action

Reversal of amphetamine-induced behaviours by MDL 100,907, a selective 5-HT_{2A} antagonist
P.C. Moser, P.M. Moran, R.A. Frank and J.H. Kehne 163
$Serotonin_2$ receptors and the serotonin transporter in the schizophrenic brain
B. Dean, W. Hayes, K. Opeskin, L. Naylor, G. Pavey, C. Hill, N. Keks and D.L. Copolov 169

Molecular, Cellular and In Vivo Studies of the Regulation of 5-HT_{2A} and 5-HT_{2C} Receptors

Regulation of central 5-HT_{2A} receptors: a review of in vivo studies
A.S. Eison and U.L. Mullins 177
Transcriptional regulation of the 5-HT_{2A} receptor
M. Toth 183
Regulation of 5-HT_{2A} receptor mRNA in P11 cells
R.C. Ferry and P.B. Molinoff 187

5-HT Receptors in the Gastrointestinal Tract — Pharmacology and Function

Mucosal protection through active intestinal secretion: neural and paracrine modulation by 5-hydroxytryptamine
D.R. Brown 193
Electrophysiological studies of 5-hydroxytryptamine receptors on enteric neurons
J.J. Galligan 199

Serotonergic Regulation of Neuroendocrine Function

Serotonergic regulation of renin and prolactin secretion
L.D. Van de Kar, P.A. Rittenhouse, Q. Li and A.D. Levy 203
Neuroendocrine responses to serotonergic agonists as indices of the functional status of central serotonin neurotransmission in humans: A preliminary comparative analysis of neuroendocrine endpoints versus other endpoint measures
D.L. Murphy, C. Aulakh, P. Mazzola-Pomietto and N.C. Briggs 209
Serotonin receptors involved in regulation of pituitary-adrenocortical function in rats
R.W. Fuller 215

Function: Systems/Models

Positron emission tomography of 5-HT reuptake sites in the human brain with C-11 McN5652 Extraction of characteristic images by artificial neural network analysis
Z. Szabo, P.F. Kao, W.B. Mathews, H.T. Ravert, J.L. Musachio, .U. Scheffel and R.F. Dannals 221
Extracellular serotonin is decreased in the nucleus accumbens during withdrawal from cocaine self-administration
L.H. Parsons, G.F. Koob and F. Weiss 225
Alterations in responses to LSD in humans associated with chronic administration of tricyclic antidepressants, monoamine oxidase inhibitors or lithium
K.R. Bonson and D.L. Murphy 229
Modulation of serotonin$_{2A/2C}$ receptors and these receptor-linked phosphoinositide system by ethanol
S.C. Pandey and G.N. Pandey 235

Receptors I

Autoradiographic analysis of 5-HT receptor subtypes labeled by [^{3}H]5-CT ([^{3}H]5-carboxamidotryptamine)
J.M. Palacios, A. Raurich, G. Mengod, S.D. Hurt and R. Cortés 239
Effects of altered 5-ht$_6$ expression in the rat: functional studies using antisense oligonucleotides
A.J. Sleight, F.J. Monsma Jr, E. Borroni, R.H. Austin and A. Bourson 245
Characterization of [^{3}H]GR113808 binding to 5-HT$_4$ receptors in brain tissues from patients with neurodegenerative disorders
E.H.F. Wong, G.P. Reynolds, D.W. Bonhaus, S. Hsu and R.M. Eglen 249
The mouse 5-HT$_{2B}$ receptor: homologous subtype or species variant?
D-S. Choi, S. Loric, J-F. Colas, J. Callebert, P. Rosay, O. Kellermann, J-M. Launay and L. Maroteaux 253
Regional distribution and ontogeny of 5-HT$_4$ binding sites in rat brain
C. Waeber, M. Sebben, J. Bockaert and A. Dumuis 259

Nomenclature

Classification and nomenclature of 5-HT receptors: a comment on current issues
D. Hoyer and G.R. Martin 263

Function: Cellular

Desensitization of 5-HT$_3$ receptors expressed in *Xenopus* oocytes: dependence on voltage and primary structure
J.L. Yakel 269
Ca^{2+} mobilizing agents mimic serotonin 5-HT$_{2A}$ facilitation of *N*-methyl-D-aspartate depolarization
R.S. Neuman and S. Rahman 273
Role of the hypothalamic paraventricular nucleus in 5-HT$_{1A}$, 5-HT$_{2A}$ and 5-HT$_{2C}$ receptor-mediated oxytocin, prolactin and ACTH/corticosterone responses
G. Bagdy 277
5-HT$_{1A}$ autoreceptors and the mode of action of selective serotonin reuptake inhibitors (SSRI)
S. Hjorth and S.B. Auerbach 281

Peripheral Systems

Reduction of gastrointestinal serotonin in alloxan-diabetic rats: reversal by 5-hydroxytryptophan treatment
L. Čičin-Šain and B. Jernej 285
5-HT_{2B} receptor signaling in the rat stomach fundus: dependence on calcium influx, calcium release and protein kinase C
D.A. Cox and M.L. Cohen 289
Is nitric oxide involved in 5-HT-induced fluid secretion in the gut?
M. Kadowaki, M.D. Gershon and A. Kuwahara 293
Rapid and long duration tolerance to the vagal bradycardic effects of 5-HT_{1A} receptor agonists
R.B. McCall, N.A. Escandon, L.T. Harris and M.E. Clement 297
Re-examination for pharmacological properties of serotonin-induced tachycardia in isolated guinea-pig atrium
H. Nishio, A. Fujii and Y. Nakata 301

Receptors II

5-HT_{1B} receptor knock out – behavioral consequences
S. Ramboz, F. Saudou, D.A. Amara, C. Belzung, L. Segu, R. Misslin, M-C. Buhot and R. Hen 305
A new peptide, 5-HT-moduline, isolated and purified from mammalian brain specifically interacts with 5-$HT_{1B/1D}$ receptors
G. Fillion, J.-C. Rousselle, O. Massot, E. Zifa, M.-P. Fillion and N. Prudhomme 313
Increased 5-HT_{1A} receptor immunoreactivity in the rat hippocampus following 5,7-dihydroxytryptamine lesions in the cingulum bundle and fimbria-fornix
T.D. Patel, E.C. Azmitia and F.C. Zhou 319
Altered G-protein coupling of a frontal cortical low affinity [^{3}H]8-hydroxy-*N,N*-dipropyl-2-aminotetralin serotonergic binding site in Alzheimer's disease
D. Weinstein, D. Magnuson and J. Lee 325
The anxiolytic serotonin 5-HT_{1A} receptor agonists buspirone, ipsapirone and gepirone are inhibitors of tyrosine hydroxylation in rat striatum
E.A. Johnson, J.L. Fox and A.J. Azzaro 331

Silent 5-HT_{1A} Antagonists: Utility as Research Tools and Therapeutic Agents

Electrophysiological, biochemical, neurohormonal and behavioural studies with WAY-100635, a potent, selective and silent 5-HT_{1A} receptor antagonist
A. Fletcher, E.A. Forster, D.J. Bill, G. Brown, I.A. Cliffe, J.E. Hartley, D.E. Jones, A. McLenachan, K.J. Stanhope, D.J.P. Critchley, K.J. Childs, V.C. Middlefell, L. Lanfumey, R. Corradetti, A.-M. Laporte, H. Gozlan, M. Hamon and C.T. Dourish 337

Serotonin and the Immune System

Subchronic and chronic exposure to *d*-fenfluramine dose-dependently enhances splenic immune functions in young and old male Fischer-344 rats
J. Clancy Jr. and S. Lorens 355
5-HT agonist-induced changes in peripheral immune cells in healthy volunteers: The impact of personality
J. Hennig, H. Becker and P. Netter 359
Hippocampal 5-HT_{1A} receptor binding site densities, 5-HT_{1A} receptor messenger ribonucleic acid abundance and serotonin levels parallel the activity of the hypothalamo-pituitary-adrenal axis in rats
P.W.J. Burnet, I.N. Mefford, C.C. Smith, P.W. Gold and E.M. Sternberg 365
Effect of *d*-fenfluramine on the local immune response to the opportunistic microbial pathogen *Candida albicans*
H.L. Mathews, S.A. Lorens, J. Clancy, Jr. 369

Author Index 375

Keyword Index 379